

Bitsadmin create command in Windows

The bitsadmin create command creates a transfer command with the given display name. The command applies to: Windows Server (Semi-Annual Channel), Windows Server 2016, Windows Server 2012 R2, Windows Server 2012

Applies to: Windows Server (Semi-Annual Channel), Windows Server 2016, Windows Server 2012 R2, Windows Server 2012.

The bitsadmin create command creates a transfer command with the given display name.

Syntax

```
bitsadmin / create [type] DisplayName
```

Parameters

Parameter Description - Type **Download** data from server to local file.

- / **Upload** data transfer from local file to server.

- / **Upload-Reply** transfers data from the local file to the server and receives the answer file from the server.

- This parameter defaults to / **Download** when not specified on the command line. **DisplayName** The display name is assigned to the newly created task.

Use the **bitsadmin resume** transfer command to activate the task in the queue.

For example

Create a task named **myDownloadJob**.

```
C:> bitsadmin / create myDownloadJob
```

See more:

1. Bcdboot command in Windows
2. The bcdedit command in Windows
3. The autoconv command in Windows

You finished reading the article "**Bitsadmin create command in Windows**" edited by the [TipsMake](#) team. We hope this article has provided you with many useful tech tips and tricks. You can search for similar articles on tips and guides. Thank you for reading and for following us regularly.

