

Display (inline-block) properties in CSS

There are some differences between the display of tags, and. Explain this through a lesson about the value of the display attribute right away.

Can notice that, some HTML tags like

,
,

always start with a new line and have a line length stretching 100% of the web page, while other HTML tags like

,

Picture 1 of Display (inline-block) properties in CSS

or it is usually placed one after another on the same line. Why is there such a difference? Find the answer through a lesson about **the value of the display attribute** right away.

Simply answered, this difference is due to different display values: Block and Inline.

The values ??of the Display attribute

Display: inline value

Inline is a way to display on a row and the width of that tag will depend on the content of the tag, so many tags can be on the same row. However, *inline* cannot use the attributes *width*, *height* and *top-bottom margin*. The HTML tags displayed inline default are,,,. .

```
span.a {  
  display: inline; /* m?c ??nh v?i span, a, strong, b, i. */  
  width: 100px;  
  height: 100px;  
  padding: 5px;  
  border: 1px solid blue;  
  background-color: #DB7093;  
}
```

Thuộc tính Display

display: inline

Bạn có thể trở thành một phần của Quantrimang.com bằng cách gửi bài viết, trải nghiệm công nghệ của mình về cho đội ngũ quản lý nội dung của mạng xã hội thông qua địa chỉ email info@meta.vn info@meta.com.vn hoặc đăng ký tài khoản và đăng bài trực tiếp trên Quantrimang.com.

Display properties

display: inline

You can become part of TipsMake.com by submitting an article, Experience your technology on the content management team of the social network via info@meta.vn email address info@meta.com.vn or register an account and post directly on TipsMake.com.

In this example, the *width* and *height* attributes are not available, *span* tags are on the same line side by side, some attributes apply to affect the content on other lines.

Display value: block

Block is a display that always starts with a new line and is as wide as 100% of the page width. So when you use this card, although the content is short, the other tags at the bottom are still in a different line. The difference of this tag is that it can use the *width* and *height* attributes . HTML tags that display the default *block* are:

come

```
span.b {  
  display: block;  
  width: 100px;  
  height: 100px;  
  padding: 5px;  
  border: 1px solid blue;  
  background-color: #DB7093;  
}
```

Thuộc tính Display

display: block

Bạn có thể trở thành một phần của Quantrimang.com bằng cách gửi bài viết, trải nghiệm công nghệ của mình về cho đội ngũ quản lý nội dung của mạng xã hội thông qua địa chỉ email

info@meta.vn

info@meta.com.vn

hoặc đăng ký tài khoản và đăng bài trực tiếp trên Quantrimang.com.

Display properties

display: block

You can become part of TipsMake.com by submitting an article, Experience your technology on the content management team of the social network via info@meta.vn email address info@meta.com.vn or register an account and post directly on TipsMake.com.

In this example, the *width* and *height* attributes are usable, but because of the fixed size, the longer content will overflow.

Display: inline-block value


Inline-block is a way of displaying the combination of both ways, moving the element to display on the same row but it still inherits the properties of the block.

```
span.c {  
  display: inline-block;  
  width: 100px;  
  height: 100px;  
  padding: 5px;  
  border: 1px solid blue;  
  background-color: #DB7093;  
}
```

Thuộc tính Display

display: inline-block

Cập nhật những xu hướng, khám phá, nghiên cứu mới nhất về khoa học công nghệ.



Display properties

display: inline-block

Update trends, discover,
Latest research on science and technology.

Compared to *display: inline*, *inline-block* display can use the attributes *width*, *height* and *top-bottom margin*.

Compared to *display: block*, *inline-block* display does not break the line after the end of the tag, so the cards can be placed side by side.

Use inline-block to create navigation links

Display: inline-block is mainly used for displaying the navigation list horizontally:

```
.nav {  
  background-color: yellow;  
  list-style-type: none;  
  text-align: center;  
  padding: 0;  
  margin: 0;  
}  
  
.nav li {  
  display: inline-block;  
  font-size: 20px;  
  padding: 20px;  
}
```

Website Quản trị mạng

Bạn có thể trở thành một phần của Quantrimang.com bằng cách gửi bài viết, trải nghiệm công nghệ của mình về cho đội ngũ quản lý nội dung của mạng xã hội thông qua địa chỉ email info@meta.vn hoặc đăng ký tài khoản và đăng bài trực tiếp trên Quantrimang.com.

[Làng công nghệ](#)

[Công nghệ](#)

[Khoa học](#)

[Cuộc sống](#)

Website Administration Network

You can become part of TipsMake.com by submitting an article, Experience your technology on the content management team of the social network Assembly via email info@meta.vn or register an account and post directly on TipsMake.com.

1. Technology village

1. Technology

1. Science

1. Life

By default, list items are displayed vertically. In this example, we use `display: inline-block` to display them horizontally (side by side).

Note: If you resize the browser window, the links will automatically pause when the content is longer than the web width.

Previous lesson: [FLOAT and CLEAR properties in CSS](#)

Next: [Align - Align in CSS](#)

You finished reading the article "**Display (inline-block) properties in CSS**" edited by the [TipsMake](#) team. We hope this article has provided you with many useful tech tips and tricks. You can search for similar articles on tips and guides. Thank you for reading and for following us regularly.

