

How to connect the network with a bug

Bed bugs are used to connect two telephone lines, network wires, data signal cables and other types of electrical wires.

One of the ways to connect a network, or a phone cord, is to use a wired connection. This aphid seed will connect the two lines together, which can be network wires, television cables, telephone wires, .

Particles of this connection can also be used in case of broken wires, especially network wires. The wiring of the network with aphids is relatively simple and effective, you just need to connect the wires together and then use the aphids to fix the connecting wires. This aphid seeds will conduct electricity, creating a smooth connection between two connected wires. The following article will guide you how to connect the network using aphids, with extremely simple and effective steps.

1. 3 steps of fast, standard network wiring
2. How to press the Sino audio wall wire
3. How to click the 4-wire network cable, press the network cable with the phone cord

Network wiring technique with bed bugs


Step 1:

First of all, we need to prepare a number of necessary items to connect 2 network wires with aphids, including 2 network wires to connect, network wire clamps, aphids, network test equipment.



Step 2:

Then you use network clamp pliers to separate the plastic layer outside the network wire and then separate each pair of wires inside the core. There will be all 8 wires after splitting in each pair of wires. Swipe the strings so that they are straight.



Step 3:

Next you will group each wire color on the two wires together, white is connected to white, red connected to that color, . done the same as with the remaining strings. Then insert the wire into the hole in the bug and press again. Use the pliers again to fix the connector.

Note to readers , we need to plug 2 network wires very deep into the hole of aphids. Press the latch to make sure the wire is not turned off the bug.




Step 4:

The result after connecting the same colored wires, the same group together will be as shown below. Please check the bug connectors 1 more time to make sure they are connected together, do not turn on the connector.



Step 5:

Finally we plug the network cable into the connection test device to see if there is a signal.



When you have a number flash test, it means that you have connected the network with a successful bug.



In general, how to connect the network with aphids is not too difficult, relatively simple and fast. Users only need to determine the wire of the same color in the same two oil wires and then connect them with aphids. When fixing the connector with aphids, it must also be sure that the wire is firmly held inside the bed, it cannot extract the connector.

I wish you all success!

You finished reading the article "**How to connect the network with a bug**" edited by the [TipsMake](#) team. We hope this article has provided you with many useful tech tips and tricks. You can search for similar articles on tips and guides. Thank you for reading and for following us regularly.