

Lesson 35: Input Groups in Bootstrap 5

Input groups in Bootstrap 5 give you a way to extend an input control. Here's how to use input groups in Bootstrap 5.

Input groups in Bootstrap 5 provide a simple way to extend an input control. Here's **how to use input groups in Bootstrap 5**.

Input Group

A class `.input-group` is a container that enhances input by adding an icon, text, or a button before or after the input field as 'help text'.

To format the help text style, use the class `.input-group-text`:

Sample code:

```
@ @example.com
```

For example:

```
Bootstrap Example
```

Input Group for TipsMake.com.com

```
@ @example.com 
```

Input Group cho Quantrimang.com

@	<input type="text" value="Tên người dùng"/>
<input type="text" value="Địa chỉ email của bạn"/>	<input type="text" value="@example.com"/>
<input type="button" value="Đăng ký"/>	

Input Group Size

Use classes `.input-group-sm` for small input groups and `.input-group-lg` for large input groups.
Sample code:

```
Small Default Large
```

For example:

```
Bootstrap Example
```

Input Group Size

```
Nh? M?c ??nh L?n
```

Kích thước nhóm Input



The image shows three input fields stacked vertically, each with a label on the left and a text input area on the right. The first field is labeled 'Nhỏ' and has a small input area. The second field is labeled 'Mặc định' and has a medium-sized input area. The third field is labeled 'Lớn' and has a large input area.

Multiple Inputs and Helpers

Add more inputs and addons like in the sample code:

```
Person One Two Three
```

For example:

```
Bootstrap Example
```

Add more inputs or addons:

```
H? tên TipsMake 1 TipsMake 2 TipsMake 3
```

Thêm nhiều input hoặc addon:

Họ tên	Tên	Họ
Quantrimang 1	Quantrimang 2	Quantrimang 3

Input Group with checkbox and radio

You can also use checkboxes or radio buttons instead of text. Here's some sample code:

For example:

Bootstrap Example

Choose the page you like

Chọn trang bạn thích

<input type="checkbox"/>	Quantrimang
<input type="radio"/>	Downloadvn

Input Group buttons

Sample code:

Basic Button Go OK Cancel

For example:

Bootstrap Example

Input group button

Nút b?m c? b?n Go OK Cancel

Nút bấm nhóm input

The image shows three examples of Bootstrap input groups with buttons:

- Example 1: A text input with the placeholder text "Truy cập Quantrimang.com". A button labeled "Nút bấm cơ bản" is positioned to the left of the input.
- Example 2: A text input with the placeholder text "Tìm kiếm". A green button labeled "Go" is positioned to the right of the input.
- Example 3: A text input with the placeholder text "Xem...". Two buttons, "OK" (blue) and "Cancel" (red), are positioned to the right of the input.

Input Group with drop-down button

Add a dropdown button to the input group. Note that you don't need a 'wrapper' .dropdown as usual.

Sample code:

Dropdown button

1. Link 1
2. Link 2
3. Link 3

For example:

Bootstrap Example

Nút bấm thả xuống

1. Link TipsMake.com 1
2. Link 2
3. Link 3

The image shows a Bootstrap input group with a dropdown button. The button is blue and labeled "Nút bấm thả xuống" with a downward arrow. The text input has the placeholder text "Quantrimang.com". A dropdown menu is open below the button, containing three items: "Link Quantrimang 1", "Link 2", and "Link 3".

Above are the things you need to know about creating Input Groups in Bootstrap 5. Hopefully, this Bootstrap tutorial with examples is helpful to you.

You finished reading the article "**Lesson 35: Input Groups in Bootstrap 5**" edited by the [TipsMake](#) team. We hope this article has provided you with many useful tech tips and tricks. You can search for similar articles on tips and guides. Thank you for reading and for following us regularly.

