

LOWER function in SQL Server

The article will explore and show you how to use the LOWER function in SQL Server to convert letters in a specified string to lowercase.

The article will explore and show you how to use the LOWER function in SQL Server to convert letters in a specified string to lowercase.

Describe

LOWER function in SQL Server converts all letters in the string specified to lowercase. If there are characters in a string other than letters, it is not affected by this function.

Syntax

To use the LOWER function in SQL Server, we use the following syntax:

```
LOWER( chuoi )
```

Parameters :

1. string : *the* string you want to convert, can be a string of characters with text, variables, string expressions or table columns.

Note :

1. See UPPER function for reverse conversion.
2. LOWER function can be used in later versions of SQL Server: SQL Server 2017, SQL Server 2016, SQL Server 2014, SQL Server 2012, SQL Server 2008 R2, SQL Server 2008, and SQL Server 2005.

For example

Take a look and explore some examples of LOWER functions in SQL Server.

```
SELECT LOWER( 'QUANTRIMANG.COM' );  
Result: 'quantrimang.com'
```

```
SELECT LOWER( 'QuanTriMang.com' );  
Result: 'quantrimang.com'
```

```
SELECT LOWER(' TipsMake.com ');  
Result: 'quantrimang.com'
```

```
SELECT LOWER('Quan Tri Mang');  
Result: 'quan tri mang'
```

Previous article: [LEN function in SQL Server](#)

Next lesson: [LTRIM function in SQL Server](#)

You finished reading the article "**LOWER function in SQL Server**" edited by the [TipsMake](#) team. We hope this article has provided you with many useful tech tips and tricks. You can search for similar articles on tips and guides. Thank you for reading and for following us regularly.