

Multilingual (i18n) in AngularJS

AngularJS provides multi-lingual functions (i18n) with 3 types of filters, currency, date and number. We just need to combine the js corresponding to the location depending on the country. By default it will attach to the location in the web browser.

AngularJS provides multi-lingual functions (i18n) with 3 types of filters, currency, date and number. We just need to combine the js corresponding to the location depending on the country. By default it will attach to the location in the web browser. For example, when using location in Denmark, you use the following script:

Example for Danish example in AngularJS

dangonngu.html

```
Vi du Da is stupid (i18n) in AngularJS
```

```
Cavalier AngularJS  
currency}}  
  
date}}  
  
number}}
```

Result:

Open the dangonngu.html page in a web browser and see the results.

Ung dung AngularJS

2.000,00 kr

22/12/2015

3.301

For example use the location of the Browser

vidui18n.html

Vi du Da is stupid (i18n) in AngularJS

```
Cavalier AngularJS  
currency}}
```

```
date}}
```

```
number}} -->
```

Result:

Open the *vidui18n.html* page in a web browser and see the results.

Ung dung AngularJS

\$2,000.00

Dec 22, 2015

3,301

According to Tutorialspoint

Previous article: The Service in AngularJS

Next lesson: Attribute in C #

You finished reading the article "**Multilingual (i18n) in AngularJS**" edited by the [TipsMake](#) team. We hope this article has provided you with many useful tech tips and tricks.