

# Regsvr32 command in Windows

The regsvr32 command helps register .dll files as a command component in the registry.

The regsvr32 command helps register .dll files as a command component in the registry. For a better understanding of how to use this command, see the example section below.

## Syntax regsvr32 command

```
regsvr32 [/u] [/s] [/n] [/i [:cmdline]]
```

## Parameter regsvr32 command

### Parameters

#### Describe

`/u`

Unsubscribe server.

`/S`

Run the Regsvr32 command without displaying the message.

`/n`

Run the Regsvr32 command without calling DllRegisterServer. (Requires parameter `/i`).

`/i:`

Move a string of command line options (cmdline) to DllInstall. If you use this parameter with the `/u` parameter, it will become the DllUninstall.

The name of the .dll file will be registered.

`/?`

Show help at the command prompt.

## Example regsvr32 command command

To register the .dll file for Active Directory Schema, enter:

```
regsvr32 schmmgmt.dll
```

See more:

1. The qprocess command in Windows
2. Qappsrv (query termsrv) command in Windows
3. The quser (query user) command in Windows
4. The pubprn command and the pushprinterconnections command in Windows

You finished reading the article "**Regsvr32 command in Windows**" edited by the [TipsMake](#) team. We hope this article has provided you with many useful tech tips and tricks. You can search for similar articles on tips and guides. Thank you for reading and for following us regularly.