

# Shortcut Dreamweaver

Dreamweaver provides shortcuts to help you work quickly on documents. Many shortcuts appear next to the command name in the menu.

Dreamweaver provides shortcuts to help you work quickly on documents. Many shortcuts appear next to the command name in the menu.

## Shortcuts useful in Dreamweaver

1. Shortcut when programming
2. Shortcuts to restructure
3. Shortcut Control Panel Files
4. Shortcuts to find and replace
5. Shortcut to insert
6. Shortcut CSS
7. Shortcuts for Guide, Grid, and Ruler tools (in Design view)
8. Shortcut preview
9. Shortcuts for specific views
10. Shortcuts for windows
11. Text shortcut
12. Shortcut key adjusts the zoom level
13. Shortcuts for tables
14. Shortcuts for managing websites
15. Create a reference table for the current shortcut set
16. Customize shortcuts
  1. Create a shortcut
  2. Delete a shortcut from a command
  3. Add shortcut for a command
  4. Edit an existing shortcut

## Shortcut when programming

**Mac Windows Action** Quick edit Command + E Ctrl + E Quick Doc (see the meaning of a CSS attribute)  
Command + K Ctrl + K Open / Add line on Command + Shift + Enter Ctrl + Shift + Enter Display Parameter  
Hint (Hint parameters) Ctrl +, Ctrl +, Multiple cursor columns / Optic rectangle selection + Click and drag Alt +  
Click and drag Select multiple cursor repeatedly Command + Click Ctrl + Click Show code suggestions

Ctrl + Spacebar

Ctrl + Spacebar  
Choose Child

Command + ]

Ctrl + ]  
Go to the line

Command + ,

Ctrl + G  
Choose Parent Tag

Command + [

Ctrl + [  
Collapse the selection

Command + Shift + C

Ctrl + Shift + C  
Collapse the outer selection

Command + Opt + C

Ctrl + Alt + C  
Expand the selection

Command + Shift + E

Ctrl + Shift + E  
Collapse the entire tag

Command + Shift + J

Ctrl + Shift + J  
Collapse all external tags

Command + Opt + J

Ctrl + Alt + J  
Expand all

Command + Opt + E

Ctrl + Alt + E  
Indent code

Command + Shift +>

Ctrl + Shift +>

Reduce indent code

Command + Shift +

Ctrl + Shift +

Balance Braces (Used to shorten CSS tags in {} )

Command + '

Ctrl + '

Code Navigator

Command + Opt + N

Ctrl + Alt + N

Delete from the left

Command + Delete Ctrl + Backspace

Delete from the right

Command + Fn + Delete

Ctrl + Delete

Select the line above

Shift + Up arrow

Shift + Up arrow

Select the bottom line

Shift + Down arrow

Shift + Down arrow

Select the character on the left

Shift + Left arrow

Shift + Left arrow

Select the right character

Shift + Right arrow

Shift + Right arrow

Select the page above

Shift + Fn + PgUp

Shift + PgUp

Choose to page below

Shift + Fn + PgDn

Shift + PgDn  
Move from left

Opt + Left arrow

Ctrl + Left arrow  
Move from right

Opt + Right arrow

Ctrl + Right arrow  
Move to the beginning of the current line

Command + Left arrow

Alt + Left arrow  
Move to the end of the current line

Command + Right arrow

Alt + Right arrow Convert comment line  
Command + / Ctrl + / Convert comment block (for PHP and JS files)  
Command + Opt + / Ctrl + Shift + / Select duplicate line  
Command + D Ctrl + Delete line (s)  
Command + Shift + D Ctrl + Shift + D move to the definition (JS file)  
Command + J Ctrl + J Select from the right  
Opt + Shift + Right arrow  
Ctrl + Shift + Right arrow Select from the left  
Opt + Shift + Left arrow  
Ctrl + Shift + Left arrow  
Move to the top file  
Command + Fn + Left arrow  
Ctrl + Home  
Di switch to the end of file  
Command + Fn + Right arrow  
Ctrl + End Select the first file  
Command + Shift + Fn + Left arrow  
Ctrl + Shift + Home Select the end of file  
Command + Shift + Fn + Right arrow  
Ctrl + Shift + Fn + Right arrow  
Ctrl + Shift + Fn + Right arrow  
Ctrl + Shift + End Go to Source Code  
Command + Opt + `Ctrl + Alt + ` Full screen  
Command + Ctrl + F No apply  
Close window  
Command + W Ctrl + W Close application  
Command + Q Ctrl + Q Quick Tag Editor  
Command + T Ctrl + T Go to next word  
Command + Right arrow  
Ctrl + Nose numb n Right Back to the previous command  
Command + Left Arrow + Left arrow Move to the previous paragraph (Design View)  
Command + Up arrow  
Ctrl + Up arrow Move to the next paragraph (Design View)  
Command + Down arrow  
Ctrl + Nose name down  
Choose from next word  
Command + Shift + Right arrow  
Ctrl + Shift + Right arrow Select the previous word  
Command + Shift + Left arrow  
Ctrl + Shift + Left arrow Choose from the previous paragraph  
Command + Shift + Up arrow  
Ctrl + Shift + Arrow up Choose until the next paragraph  
Command + Shift + Down arrow  
Ctrl + Shift + Down arrow  
Move to the next attribute frame  
Command + Opt + Fn + Down arrow  
Ctrl + Alt + PgDn Move to the previous attribute frame  
Command + Opt + Fn + Nose name up  
Ctrl + Alt + PgUp Open a new document in the same window  
Command + Shift + N Ctrl + Shift + N T segment  
Command + Return Ctrl + Return Text Documents  
Command + `Ctrl + Account Tab previous file  
Command + Shift + `Ctrl + Shift + Tab Surround with #  
Command + Shift + 3 Ctrl + Shift + 3

## Shortcuts to restructure

**Act**  
**Mac**  
**Windows**

Change the name of Command + Opt + RCtrl + Alt + R Extract variables Command + Alt + V Ctrl + Alt + V Export functions Command + Alt + M Ctrl + Alt + M

## Shortcut Control Panel Files

**Act**

**Mac**

**Windows**

New file Command + Shift + N Ctrl + Shift + N new folder Command + Opt + Shift + N Ctrl + Alt + Shift + N

## Shortcuts to find and replace

**Act**

**Mac**

**Windows**

Search in the current document Command + F Ctrl + F find and replace in file Command + Shift + F Ctrl + Shift + F Replace in the current document Command + Alt + F Ctrl + Access the next document Command + G F3 Find the previous document Command + Shift + G Shift + F3 Find all and select Command + Ctrl + G Ctrl + Shift + F3 Add the next match to the selection Ctrl + Command + R Ctrl + Click and add the next match to the selection Ctrl + Command + Opt + R Ctrl + Alt + R

## Shortcut to insert

**Act**

**Mac**

**Windows**

Insert image Command + Opt + I Ctrl + Alt + I HTML5 Command video + Opt + Shift + V Ctrl + Alt + Shift + V Insert animation component Command + Opt + Shift + E Ctrl + Alt + Shift + E Insert SWF Command + Opt + F Ctrl + Alt + F Line breaker Shift + Return Shift + Return Non-breaking space () - space in HTML Command + Shift + Space Ctrl + Shift + Space

## Shortcut CSS

**Act**

**Mac**

**Windows**

Compiling CSS F9 preprocessors Add CSS selector or attribute that the panel is focusing on Command + Opt + Shift + = Ctrl + Alt + Shift + = Add CSS Command + Opt + S Ctrl + Alt selector + Add CSS Command + Opt properties + P Ctrl + Alt + P

## Shortcuts for Guide, Grid, and Ruler tools (in Design view)

**Act**

**Mac**

**Windows**

Show Guide (centerline) Command + ; Ctrl + ; Guide Command + Opt + ; Ctrl + Alt + ; Attach to Guide Command

+ Shift +; Ctrl + Shift +; Guide attach to Element (element) Command + Shift + GCtrl + Shift + Show Grid (grid) Command + Opt + GCtrl + Alt + G Attach to GridCommand + Opt + Shift + GCtrl + Alt + Shift + Show Ruler (ruler) Command + Opt + RCtrl + Alt + R

## Shortcut preview

**Act**

**Mac**

**Windows**

Real-time preview in main browserOpt + F12F12 Preview in browser sideShift + F12Shift + F12

## Shortcuts for specific views

**Act**

**Mac**

**Windows**

Freeze JavaScript (Live view) F6F6 Hide View Live ViewCtrl + Command + HCtrl + Alt + H Convert viewCtrl mode + `Ctrl + ` Check (Live view mode) Opt + Shift + IAlt + Shift + F11 Hide all methods intuitive convenience (Design view) Command + Shift + ICtrl + Shift + IC switch between Design and Live Command + Shift + F11Ctrl + Shift + F11

## Shortcuts for windows

**Act**

**Mac**

**Windows**

PreferencesCommand + UCtrl + UDisplays the control panelF4F4BehaviorsShift + F4Shift + F4Code InspectorOpt + F10F10CSS DesignerCommand + F11Shift + F11DOMCommand + F7Ctrl + F7FilesF8F8InsertCommand + F2Ctrl + F2PropertiesCommand + F3Ctrl + F3OutputShift + F6Shift + F6SearchF7F7SnippetsDon't apply Shift + F9Dreamweaver Online HelpF1F1

## Text shortcut

**Act**

**Mac**

**Windows**

Reduce indentationCommand + Opt + ] Ctrl + Alt + ] Increase indentCommand + Opt + [Ctrl + Alt + [BoldCommand + BCtrl + BIn inclineCommand + ICtrl + Check spellShift + F7Shift + F7 Remove LinkCommand + Shift + LCtrl + Shift + L

## Shortcut key adjusts the zoom level

**Act**

**Mac**

**Windows**

Zoom in (Design and Live view mode) Command + = Ctrl + = Minimize (Design and Live view) Command + -

Ctrl + -100% Command + 0Ctrl + 050% Command + Opt + 5Ctrl + Alt + 5200% Command + Opt + 2Ctrl + Alt + 2300% Command + Opt + 3Ctrl + Alt + 3Add to selectionCommand + Opt + 0Ctrl + Alt + 0Avoid all Command + Shift + 0Ctrl + Shift + 0Deep widthCommand + Opt + Shift + 0Ctrl + Alt + Shift + 0 Increase font sizeCommand ++ Ctrl ++ Reduces font sizeCommand + -Ctrl + - Font recoveryCommand + 0Ctrl + 0

## Shortcuts for tables

**Act**

**Mac**

**Windows**

Insert tableCommand + Opt + TCtrl + Alt + Merge cellsCommand + Opt + MCtrl + Alt + Command + Opt + Shift + TCtrl + Alt + Shift + TC row row Command + MCtrl + M Insert column Command + Shift + ACtrl + Shift + Delete row Command + Shift + MCtrl + Shift + MX delete columnCommand + Shift + -Ctrl + Shift + - Increase column spacing Command + Shift + ] Ctrl + Shift + ] Reduce column spacingCommand + Shift + [Ctrl + Shift + [

## Shortcuts for managing websites

**Act**

**Mac**

**Windows**

Get Cmd file + Shift + B Ctrl + Alt + D Check Opt file + Shift + Command + D Ctrl + Alt + Shift + D Set Cmd file + Shift + U Ctrl + Shift + U Check-in Opt + Shift + Command file + U Ctrl + Alt + Shift + U Check Sitewide (link appears on all pages of 1 website) Command + F8 Ctrl + F8 Display page title Command + Shift + T Ctrl + Shift + T

## Create a reference table for the current shortcut set

Reference table is a record of the current shortcut set. Information is stored in HTML table format. You can view the reference table in the web browser or print it out.

1. Choose **Edit> Keyboard Shortcuts** (Windows) or **Dreamweaver> Keyboard Shortcuts** (Mac).
2. Click the **Export Set As HTML** button, which is the third button in the set of 4 buttons at the top of the dialog box.
3. In the **Save** dialog box that appears, enter a name for the reference table and select the appropriate location to save the file.

## Customize shortcuts

Use Keyboard Shortcut Editor to create your own shortcuts, including shortcuts for snippet code (code). You can also delete shortcuts, edit existing shortcuts and select a predefined shortcut set in Keyboard Shortcut Editor.

### Create a shortcut

Create your own shortcuts, edit existing shortcuts or select a predefined shortcut set.

1. Choose **Edit> Keyboard Shortcuts** (Windows) or **Dreamweaver> Keyboard Shortcuts** (Mac).

2. Select any of the following options and click **OK**:

1. **Current Set** : Allows you to select a set of predefined shortcuts included in Dreamweaver or any custom set you have created. The predefined shortcut sets are listed at the top of the menu. For example, if you are familiar with the shortcuts found in HomeSite or BBEdit, you can use those shortcuts by selecting the corresponding predefined shortcut set.
2. **Commands**: Allows you to select a command type to edit. For example, you can edit menu commands, such as **Open** commands or code editing commands, such as **Balance Braces**.

**Note** : To add or edit shortcuts for a snippet code, select **Snippet** from the **Commands** menu that appears.

1. **The command list** : Displays the commands associated with the category you selected from the **Commands** menu , along with the assigned shortcuts. The **Menu Commands** list displays this list as a tree view, copying the structure of menus. Other categories list commands by name (such as **QuitApplication** ), in a non-branched list.
2. **Shortcuts**: Displays all shortcuts assigned to the selected command.
3. **Add Item (+)** : Add a shortcut to the current command. Click this button to add a blank line to **Shortcuts**. Enter the new key combination and click **Change to add a keyboard shortcut for this command** . You can assign two different shortcuts for each command. If there are already two shortcuts assigned to a command, the **Add Item** button will no longer be available.
4. **Remove Item (-)** : Delete the selected shortcut from the list of shortcuts.
5. **Press Key** : Displays the key combination you enter when you add or change shortcuts.
6. **Change**: Add the key combination displayed in **Press Key** to the list of shortcuts or change the selected shortcut to the specified key combination.
7. **Duplicate Set**: Copy the current shortcut set. Give it a new name (the default name is the current collection name plus copy).
8. **Rename Set**: Rename the current shortcut set.
9. **Export as HTML File** : Save the current shortcut set in HTML table format for easy viewing and printing. You can open the HTML file in the browser and print shortcuts for easy reference.
10. **Delete Set** : Delete a shortcut set. (You cannot delete active keyboard shortcuts).

## Delete a shortcut from a command

1. Choose **Edit> Keyboard Shortcuts** (Windows) or **Dreamweaver> Keyboard Shortcuts** (Mac).

2. From the pop-up **Commands** menu , select the command list.

3. In the **Commands** list , select a command and then select the shortcut.

4. Click the **Remove Item** button (-) .

## Add shortcut for a command

1. Choose **Edit> Keyboard Shortcuts** (Windows) or **Dreamweaver> Keyboard Shortcuts** (Mac).

2. From the pop-up **Commands** menu , select the command list.

3. In the **Commands** list , select a command.

**Note** : To add keyboard shortcuts for snippet code, select **Snippet** from the **Commands** menu .

Shortcuts are assigned to commands that appear in **Shortcuts**.

4. Prepare additional shortcuts by doing one of the following:

1. If there are fewer than 2 shortcuts assigned to the command, click the **Add Item** button (+) . A new blank line appears in **Shortcuts** and the insertion point will move to the **Press Key** .
2. If there are already two shortcuts assigned to the command, select one of them (the shortcut is replaced with a new shortcut). Then click **Press Key** .

5. Press the key combination. The key combination will appear in the **Press Key** .

**Note** : If there is a problem with the key combination (for example, the key combination has been assigned to another command), an explanation message will appear immediately below **Shortcuts** and you cannot not add or edit the shortcut key .

6. Click **Change**. New key combination is assigned to the command.

## **Edit an existing shortcut**

1. Choose **Edit> Keyboard Shortcuts** (Windows) or **Dreamweaver> Keyboard Shortcuts** (Mac).

2. From the **Commands** menu that appears, select the command list.

3. In the **Commands** list , select a command and then select a shortcut to change.

4. Click **Press Key** and enter the new key combination.

5. To change the shortcut, click the **Change** button .

**Note** : If there is a problem with the key combination (for example, the key combination has been assigned to another command), an explanation message will appear immediately below **Shortcuts** and you cannot not add or edit the shortcut key .

Shortcuts Dreamweaver by default works primarily on US standard keyboards. Keyboards from other countries (including those made in the UK), may not provide the necessary functions to use these keyboard shortcuts. If your keyboard does not support certain shortcuts in Dreamweaver, Dreamweaver will disable their functionality.

You finished reading the article "**Shortcut Dreamweaver**" edited by the [TipsMake](#) team. We hope this article has provided you with many useful tech tips and tricks. You can search for similar articles on tips and guides. Thank you for reading and for following us regularly.