

# The bitsadmin geterrorcount command and bitsadmin getfilestotal in Windows

The bitsadmin geterrorcount command retrieves the number of times the specified task has generated a temporary error. The bitsadmin getfilestotal command retrieves the number of files in the specified task.

The bitsadmin geterrorcount command retrieves the number of times the specified task has generated a temporary error. The bitsadmin getfilestotal command retrieves the number of files in the specified task.

## The bitsadmin geterrorcount command and bitsadmin getfilestotal in Windows

1. Bitsadmin geterrorcount command
  1. Syntax
  2. Parameters
  3. For example
2. Bitsadmin getfilestotal command
  1. Syntax
  2. Parameters
  3. For example

### Bitsadmin geterrorcount command

#### Syntax

```
bitsadmin / GetErrorCount
```

#### Parameters

ParameterDescriptionJob Display name of the task or GUID.

#### For example

The following example retrieves the error number information for the task named myDownloadJob.

```
C:> bitsadmin / GetErrorCount myDownloadJob
```

# Bitsadmin getfilestotal command

## Syntax

```
bitsadmin / GetFilesTotal
```

## Parameters

ParameterDescriptionJob Display name of the task or GUID.

## For example

The following example retrieves the number of files included in the task named myDownloadJob.

```
C:> bitsadmin / GetFilesTotal myDownloadJob
```

See more:

1. Command bitsadmin addfileset in Windows
2. Bitsadmin addfile command in Windows
3. The bcdedit command in Windows

You finished reading the article "**The bitsadmin geterrorcount command and bitsadmin getfilestotal in Windows**" edited by the [TipsMake](#) team. We hope this article has provided you with many useful tech tips and tricks. You can search for similar articles on tips and guides. Thank you for reading and for following us regularly.